

Package Insert: DELTAPOR 10 PLUS

FOR EXTERNAL ANIMAL USE ONLY

DELTAPOR 10 PLUS

Reg. No. G4255 Act 36/1947

CAUTION

STORAGE INSTRUCTIONS

Store in original container, firmly closed and protected from light, below 25°C.

Keep away from food and feedstuffs.

COMPOSITION

Deltamethrin 1 % m/v

Piperonyl butoxide 3,00 % m/v

INDICATIONS

Pour-on for the control of ticks as well as nuisance, biting and Tsetse flies on cattle.

WARNINGS

- Withdrawal periods:
Meat: 14 days.
Milk: 48 hours.
- Keep out of reach of children, uninformed persons and animals.
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

PRECAUTIONS

- Wear protective clothing
- Do not eat, drink or smoke while applying the product.
- Wash hands and contaminated skin after use.
- Remove and wash contaminated clothing.
- Empty containers should be destroyed.
- If product is splashed on the eyes or face, wash with plenty of water.
- If swallowed rinse the mouth with water.

In both cases consult a doctor and make this label available.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED FOR BEST RESIDUAL EFFECT APPLY WHEN CATTLE ARE DRY.

SLEGS VIR UITWENDIGE DIEREGERBUK

DELTAPOR 10 PLUS

Reg. No. G4255 Wet 36/1947

VERSIGTIG

BERGINGSAAWYSINGS

Berg in oorspronklike houer, dig geseel en beskerm teen lig, benede 25°C.

Hou weg van voedsel en voere.

SAMESTELLING

Deltametrien 1 % m/v

Piperonielbutoksied 3,00 % m/v

INDIKASIES

Opgietmiddel vir die beheer van bosluise asook las-, bytende- en Tsetsevlieë op beeste.

WAARSKUWINGS

- Onttrekkingsperiodes:
Vleis: 14 dae.
Melk: 48 ure.
- Hou buite bereik van kinders, oningeligte persone en diere.
- Alhoewel hierdie middel breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

VOORSORGMAATREËLS

- Dra beskermende klere.
- Moenie eet, drink of rook tydens hantering van die produk nie.
- Was hande en besoedelde vel na gebruik.
- Verwyder en was besoedelde klere.
- Leë houers moet vernietig word.
- As produk in aanraking met oë of gesig kom, was met baie water.
- As ingesluk, spoel mond met water.
In albei gevalle raadpleeg 'n dokter en maak hierdie etiket besikbaar.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI VIR DOELTREFFENDE NAWERKING WEND AAN OP DROË BEESTE.

Application:

- **General tick control:** 1 ml / 10 kg body mass:
5 – 10 ml from ear base to ear base,
5 ml to tail base and the remainder along the back
from shoulders to rump.

Apply every 7 days during heavy challenge.

- **Spot treatment**

Ticks

Brown ear ticks: 10 ml from ear base to ear base.
Bont- and redlegged ticks: 5 ml to the tail base.

- **Nuisance and biting flies**

10 ml between the shoulders for animals over 12
months of age, and
5 ml for animals under 1 year of age.

- **Tsetse fly control**

1 ml / 10 kg body mass along the upper mid line from
shoulders to rump.
Apply monthly or at longer intervals depending on
challenge.
It is important that all animals in the area are treated.

PRESENTATION

100 ml, 200 ml, 250 ml, 500 ml, 1 L, 5 L,
10 L, 20 L

REGISTRATION HOLDER/REGISTRASIEHOUER:

Afrivet Business Management (Pty) Ltd
Co./Mpy. Reg 2000/011263/07
PO Box/Posbus 2009, Faerie Glen
0043, Pretoria, R.S.A.
Helpline/Hulplyn: 0860 833 2787
www.afrivet.co.za

Aanwending:

- **Algemene bosluisbeheer:** 1 ml / 10 kg
liggaamsmassa:
5 – 10 ml van oor tot oor,
5 ml op stertwortel, en die res op die rug van
skouers tot kruis.

Wend elke 7 dae aan gedurende swaar bosluislas.

- **Kolbehandeling**

Bosluis

Bruinoorbosluis: 10 ml van oor tot oor.
Bont- en rooipootbosluis: 5 ml aan stertwortel.

- **Las- en bytende vlieë**

10 ml tussen die skouers vir diere ouer as 12
maande; en
5 ml vir diere jonger as 1 jaar.

- **Tsetsevliegbeheer**

1 ml / 10 kg liggaamsmassa bokant die middellyn
van skouers tot kruis.
Wend maandeliks aan of met langer tussenposes
afhangend van uitdaging.
Dit is belangrik dat alle diere in die omgewing
behandel word.

AANBIEDING

100 ml, 200 ml, 250 ml, 500 ml, 1 L, 5 L,
10 L, 20 L