

PACKAGE INSERT: ECO AFTERBIRTH PESSARIES

FOR ANIMAL USE ONLY

ECO AFTERBIRTH PESSARIES

RSA Reg. No. G3115 Act/Wet 36/1947

Namibia S0 V03/17.1.10/700

STORAGE INSTRUCTIONS

Store in a cool, dry place.

COMPOSITION

Each pessary contains:

Oxytetracycline	375 mg
Sulphadimidine	125 mg
Sulphadiazine	125 mg
Sulphathiozole	125 mg
Cetrimide	10 mg

INDICATIONS

For the treatment of bacterial infections of the vagina and uterus following difficult birth and/or retained afterbirth in cattle, sheep, goats, pigs and horses.

WARNINGS

- DO NOT SLAUGHTER ANIMALS FOR HUMAN CONSUMPTION WITHIN 7 DAYS OF THE LAST TREATMENT.
- Keep out of reach of children, uninformed persons and animals.
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

PRECAUTIONS

- Ensure that the animal and the applicator of the pessary are protected:
 - Wash hands and arms and area under the tail, around the vulva and the anus thoroughly with soap and water.
 - Use an arm-length disposable glove to ensure sterility.
- Consult your veterinarian if there is any doubt as to the diagnosis or dosage.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

N.B. Insert half the dosage in each horn of the uterus through the cervix.

DOSAGE

Sheep and goats:	Half an afterbirth pessary, daily for 3 days only.
Sows:	One afterbirth pessary, daily for 3 days only.
Cows and mares:	Two afterbirth pessaries, daily for 3 days only.

In severe cases double the prescribed dosage.

If further treatment is required, consult your veterinarian.

PRESENTATION

6 Pessaries, 10 Pessaries

Registration holder:

ECO Animal Health Southern Africa (Pty)
Ltd Co. Reg. No. 1992/000835/07
P O Box 2009, Faerie Glen 0043, R.S.A.
Helpline: 0860 833 2787
www.ecoanimalhealth.com

Distributed by:

Afrivet Business Management (Pty)
Ltd Co. Reg 2000/011263/07
PO Box 2009, Faerie Glen 0043, RSA
Helpline: 0860 833 2787
www.afrivet.co.za

VOUBILJET: ECO NAGEBOORTE STEEKPILLE

SLEGS VIR DIEREGERBRUIK

ECO NAGEBOORTE STEEKPILLE

RSA Reg. No. G3115 Act/Wet 36/1947

Namibia S0 V03/17.1.10/700

BERGINGSANWYSINGS

Berg in 'n koel, droë plek.

SAMESTELLING

Elke steekpil bevat:

Oksitetrasiklien	375 mg
Sulfadimidien	125 mg
Sulfadiasien	125 mg
Sulfatiasool	125 mg
Setrimied	10 mg

AANDUIDINGS

Vir die behandeling van baktriese infeksie van die vagina en baarmoeder na moeilike geboorte en/of agtergeblewe nageboorte by beeste, skape, bokke, varke en perde.

WAARSKUWINGS

- MOENIE DIERE BINNE 7 DAE NA LAASTE BEHANDELING VIR MENSlike VERBRUIK SLAG NIE.
- Hou buite bereik van kinders, oningeligte persone en diere.
- Alhoewel hierdie middel breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

VOORSORGMAATREËLS

- Maak seker dat die dier en die toediener van die steekpil beskerm is:
 - Was hande en arms en die area onder die stert, rondom die vulva en die anus deeglik met seep en water.
 - Gebruik 'n wegdoenbare armlengte handskoen om steriliteit te verseker.
- Raadpleeg 'n veearts as daar enige twyfel oor die diagnose of dosis bestaan.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI

L.W. Plaas die helfte van die dosis in elke horing van die baarmoeder deur die baarmoedernek.

DOSIS

Skape en bokke:	'n Halwe steekpil daaglik slegs vir 3 dae.
Varke:	Een steekpil daaglik vir slegs 3 dae.
Koeie en merries:	Twee steekpille daaglik vir slegs 3 dae.

Verdubbel die dosis in ernstige gevalle.

Indien verder behandeling nodig is raadpleeg u veearts.

AANBIEDING

6 Steekpille, 10 Steekpille

Registrasiehouer:

ECO Animal Health Southern Africa (Pty) Ltd

Mpy. Reg. No. 1992/000835/07

Posbus 2009, Faerie Glen 0043, R.S.A.

Hulplyn: 0860 833 2787

www.ecoanimalhealth.com

Versprei deur:

Afrivet Business Management (Pty) Ltd

Mpy. Reg 2000/011263/07

Posbus 2009, Faerie Glen 0043, RSA

Hulplyn: 0860 833 2787

www.afrivet.co.za