

FOR ANIMAL USE ONLY

ERADIWORM® PLUS
Reg. No. G4265 Act 36/1947

***3+4**

CAUTION

COMPOSITION

Levamisole 3,0 % m/v
Rafoxanide 3,0 % m/v

INDICATIONS

A remedy against roundworms and liver fluke in sheep, goats and cattle and nasal bot in sheep and goats.

WARNINGS

Do not slaughter animals for human consumption within 28 days of treatment. Milk of treated animals must not be used for human consumption. Do not mix or dilute with any other substance. Do not exceed the recommended dose as overdose may lead to toxicity. Keep out of reach of children and uninformed persons. Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

PRECAUTIONS

It is recommended that sheep be vaccinated against pulpy kidney disease before any worm remedy is administered. Do not treat animals more frequently than every 3 weeks. Do not treat lambs under the age of 6 weeks.

DIRECTIONS FOR USE

1. Use only as directed
2. Use as an oral drench
3. Shake well before use
4. Dose rate for sheep and goats: 2,5 ml / 10 kg body mass
5. Dose rate for cattle: 12,5 ml / 50 kg Body mass

SLEGS VIR DIEREGBRUIK

ERADIWORM® PLUS
Reg. No. G4265 Wet 36/1947

***3+4**

VERSIGTIG

SAMESTELLING

Levamisool 3,0 % m/v
Rafoksaniëd 3,0 % m/v

INDIKASIES

'n Middel teen rondewurms en lewerslakke in skape, bokke en beeste en neusvlieg larwes in skape en bokke.

WAARSKUWINGS

Moet nie diere vir menslike gebruik binne 28 dae na behandeling slag nie. Melk van behandelde diere moet nie vir menslike gebruik toegelaat word nie. Moet nie met enige ander middel vermeng nie. Moet nie die aanbevole dosis oorskry nie want oordosering mag lei tot vergiftiging. Hou buite die bereik van kinders en oningeligte persone. Alhoewel hierdie middel breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veaarts en verwittig die registrasiehouer.

VOORSORGMAATREËLS

Dit word aanbeveel dat alle skape teen bloednier ingeënt word voordat dosering met enige wurmmiddel plaasvind. Moet nie diere meer dikwels as elke 21 dae behandel nie. Moet nie lammers jonger as 6 weke behandel nie.

GBRUIKSAANWYSINGS

1. Gebruik slegs soos aanbeveel
2. Gebruik as 'n mondelingse dosering
3. Skud deeglik voor gebruik
4. Dosis vir skape en bokke: 2,5 ml / 10 kg liggaamsmassa.
5. Dosis vir beeste: 12,5 ml / 50 kg liggaamsmassa

IYEZA LEZILWANYANA KUPHELA

ERADIWORM® PLUS
Reg. No. G4265 Act 36/1947

***3+4**

ISILUMKISO

IZITHAKO

Levamisole 3,0 % m/v and Rafoxanide 3,0% m/v

INCAZELO

Iyeza leentshulube zesisu nesibindi ezigusheni, iibhokhwe nenkomo, kunye nethuku ezigusheni neebhokhwe.

IZILUMKISO

Ayityiwa ngabantu inyama xa zingekadluli iintsuku ezi-28 emva kokuseza. Ubisi lwesilwanyana esiseziweyo alutyiwa ngabantu. Musa ukulixuba nelinye iyeza xa useza. Musa ukudlulisa kumlinganiselo omiselweyo kuba oko kungaba nobungozi. Libeke kude ebantwaneni nabantu abangaqondiyo. Nangona eli yeza livavanywe ngokumandla kwiimeko ngeemeko, lingangasebenzi ngezizathu ezininzi. Xa ukrokrela ukuba alisebenzanga, funa uncedo kugqirha wemfuyo kwaye wazise abenzi beli yeza.

QAPHELA

Uyakhuthazwa ukuba uthintele umgilane phambi kokuseza/ utofe naliphi na iyeza leentshulube. Ungasezi ngaphezu kwesinye kwiveki ezi-3. Ungawasezi amatakane angaphantsi kweveki ezi-6 ubudala.

IMIQATHANGO

1. Yisebenzise ngokwemiqathango
2. Lelokuseza emlonyeni
3. Hlulukhla phambi kokuseza
4. Umlinganiselo wegusha neebhokhwe: 2,5 ml / 10 kg ubunzima bomzimba.
5. Umlinganiselo wenkomo: 12,5 ml / 50 kg ubunzima bomzimba

Example / Voorbeeld / Umzekelo:

Sheep and goats/ Skape en bokke / Iigusha neebhokhwe			Cattle / Beeste / linkomo		
Mass / Massa / Ubunzuma (kg)	Dose / Dosis / Umlinganiselo (ml)	Number of doses in pack / Aantal dosisse in pak / Useza ezingaphi kwipakethi (5 L)	Mass / Massa / Ubunzuma (kg)	Dose / Dosis / Umlinganiselo (ml)	Number of doses in pack / Aantal dosisse in pak / Useza ezingaphi kwipakethi (5 L)
10	2,5	2000	100	25	200
20	5,0	1000	200	50	100
30	7,5	666	300	75	66
40	10,0	500	400	100	50

Efficacy / Doeltreffendheid / Ukusebenza:

Sheep and goats / Skape en bokke/ Iigusha nebhokwe:

Worm Species / Wurmsort / Uhlobo lwentshulube	Adult / Volwasse / Endala	Immature / Onvolwasse / Intshontsho
Wireworm / Haarwurm / Intshulube emhlophe-bomvu	*	*
Brown stomachworm / Bruinmaagwurm / Intshulube yenjeke emdaka	**	
Bankruptworm / Bankrotwurm / Intshulube yenjeke ebhityisayo	*	*
Long – necked bankruptworm / Langnekbankrotwurm / Intshulube yenjeke entamo-nde	*	*
Hookworm / Haakwurm / Intshulube ebugwegwe	*	*
Nodular worm / Knoppieswurm / Intshulube eyenza amaqhuma kubhobhosi	*	*
Large – mouthed bowelworm / Grootbekwurm / Intshulube yethumbu emlomo-mkhulu	*	*
Lungworm / Longwurm / Intshulube yemiphunga/yephaphu	**	**
Liver fluke / Lewerslak / Igqithi lesibindi	*	**
Giant liver fluke / Reuse lewerslak / Igqithi lesibindi elikhulu	*	*

Controls all stages of nasal bot / Beheer alle stadia van neusvlieg larwes / Lisebenza kwizigaba zonke zethuku.

Cattle / Beeste / linkomo:

Worm Species / Wurmsort / Uhlobo lwentshulube	Adult / Volwasse / Endala	Immature / Onvolwasse / Intshontsho
Wireworm / Haarwurm / Intshulube emhlophe-bomvu	*	*
Cattle bankruptworm / Beesbankrotwurm / lintshulube zenjeke zenkomo	*	*
Hookworm / Haakwurm / Intshulube ebu-gwegwe	*	
Nodular worm / Knoppieswurm / Intshulube eyenza amaqhuma kubhobhosi	*	**
Liver fluke / Lewerslak / Iqiqithi lesibindi	*	
Giant liver fluke / Reuse lewerslak / Iqiqithi lesibindi elikhulu	*	

* Controls / Beheer / Lichaphazela lilawule = 90 – 100 % effective / doeltreffend / ukusebenza

** Aids in control / 'n Hulpmiddel in die beheer / Lincedis ukulawula = 60 – 89 % effective / doeltreffend / ukusebenza

PRESENTATION/AANBIEDING/UKUPAKISHA

500 ml, 1 L, 2 L, 2,5 L, 5 L, 10 L, 25 L

† (3) Imidothiazole / Imidotiasool

(4) Salicylanilide / Salisielanilied

REGISTRATION HOLDER / REGISTRASIEHOUER / LIBHALISWE NGO:

Burke Animal Health (Pty) Ltd
Co. Reg. No.: 1996/00721/07
Tel. no.: (011) 318 2952
24 Ellon Street (Stand No. 1041),
Blue Valley Golf and Country Estate
Kosmosdal, South Africa, 0157

MARKETED BY / VERSPREI DEUR / LITHENGISWA NGU:

Afrivet Business Management (Pty) Ltd
Co. Reg. No.: 2000/011263/07
P.O Box 2009, Faerie Glen
Pretoria, South Africa, 0043
Tel. no.: +27 12 817 9060
Help Line: 0860 833 2787
Web: www.afrivet.co.za