

FOR ANIMAL USE ONLY

ZERORAB

Reg. No. G3859 Act 36/1947

Nambia Reg. V21/24.4.1477

Inactivated rabies vaccine

INDICATIONS

For the immunisation of dogs, cats, cattle, sheep and goats against rabies.

STORAGE INSTRUCTIONS

Store refrigerated between 2 – 8 °C.

Do not freeze.

COMPOSITION

Inactivated rabies virus (potency \geq 1.0 IU per dose) propagated in cell line BHK-21, inactivated with an aziridine compound and adsorbed onto adjuvant aluminium hydroxide.

WARNINGS

- DO NOT VACCINATE CATTLE, SHEEP OR GOATS WITHIN 21 DAYS BEFORE SLAUGHTER.
- DO NOT VACCINATE ANIMALS YOUNGER THAN 3 MONTHS OF AGE.
- FOR USE IN HEALTHY ANIMALS ONLY.
- As with all vaccines, occasional hypersensitivity reactions may occur. In such cases consult your veterinarian.
- Discard any unused product at the end of the day's vaccination programme.
- Avoid accidental self-inoculation as this can result in a persistent local inflammatory reaction.
- Keep out of reach of uninformed persons, children and animals.
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED SHAKE WELL BEFORE USE.

Dosage

1 ml for all species by subcutaneous or intramuscular injection.

First vaccination of all species should be given at 12 weeks of age.

SLEGS VIR DIEREGERBRUIK

ZERORAB

Reg. No. G3859 Wet 36/1947

Namibia Reg. V21/24.4/1477

Geïnaktiveerde hondsdolheid entstof

AANDUIDINGS

Vir inenting van honde, katte, beeste, skape en bokke teen hondsdolheid.

BERGINSAAANSINGS

Berg tussen 2 – 8 °C.

Moenie bevries nie.

SAMESTELLING

Geïnaktiveerde hondsdolheidvirus (sterkte \geq 1.0 IU per dosis), gereproduseer in selyn BHK-21, geïnaktiveer met 'n aziridien samestelling en geadsorbeer op aluminium hidroksied.

WAARSKUWINGS

- MOENIE BEESTE, SKAPE OF BOKKE 21 DAE VOOR SLAG INENT NIE.
- MOENIE DIERE JONGER AS 3 MAANDE OUD INENT NIE.
- GEBRUIK SLEGS IN GESONDE DIERE.
- Soos met alle entstowwe mag hipersensitiwiteitsreaksies soms voorkom. Raadpleeg u veearts in so 'n geval.
- Vernietig enige ongebruikte produk aan die einde van die dag se inentingsprogram.
- Vermoed toevallige self inenting wat 'n volgehoue lokale inflammatoriese reaksie tot gevolg kan hê.
- Hou buite bereik van oningeligte persone, kinders en diere.
- Alhoewel hierdie middel breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI SKUD GOED VOOR GEBRUIK.

Dosis

Alle spesies – 1 ml inspuiting onderhuids of binnepiers.

Alle spesies moet op 12 weke ouderdom vir die eerste keer geënt word.

Revaccination

Dogs and cats

According to the vaccination policy in RSA all dogs and cats shall be vaccinated with the recommended dosage as follows:

1st vaccination: 3 months of age.

2nd vaccination (booster): Not less than and not more than 9 months later.

Maintenance: Every 3 years

Cattle, sheep and goats

Immunity is conferred for 36 months. It is, however, recommended that a booster injection be given 1 year after primary vaccination. Thereafter it is necessary to revaccinate every 3 years.

Herinenting

Honde en katte

Volgens die inentings-beleid in RSA moet alle honde en katte met die voorgeskrewe dosis ingent word

soos volg:

1^{ste} inenting : 3 maande oud.

2^{de} inenting (onderskraging): Nie minder en nie meer as 9 maande later.

Onderhoud: Elke 3 jaar.

Beeste, skape en bokke

Immuniteit word vir 36 maande verleen. Dit word nietemin aanbeveel dat 'n skraag dosis toegedien word 1 jaar na primêre inenting. Daarna moet herinenting elke 3 jaar plaasvind.

PRESENTATION

1 ml (1 dose), 10 ml (10 doses)

AANBIEDING

1 ml (1 dose), 10 ml (10 doses)

Registration holder/Registrasiehouer:

Afrivet Business Management (Pty) Limited

Co./Mpy. Reg. No. 2000/0112963/07

P O Box/Posbus 2009

FAERIE GLEN, 0043 R.S.A.

Tel: +27 12 817 9060

Helpline/Hulplyn: 0860 833 2787

Website/Webblad: www.afrivet.co.za